

BEST AVAILABLE COPY

Fig. - I
TRAFFIC COMPLEX




Fig.-2

COMMUNICATION IN TRAFFIC COMPLEX







Fig. - 3A



<u>Fig.-3B</u>







INFRASTRUCTURE CONTROL MECHANISM


-110


PROCESSOR

- RECEPTION AND PROCESSING OF IDENTIFICATION NUMBERS OF VEHICLES
- RECEPTION AND PROCESSING OF INFORMATION ON SPEED, LOCATION, AND DIRECTION OF VEHICLES
- COUNT OF VEHICLES
- TRACKING OF VEHICLES
- CONTROL OF CONTROL LIGHTS
- INFORMATION ON EMISSION LEVELS, UNDESIRABLE EMISSION LEVELS
- INFORMATION ON RELATION BETWEEN NUMBER OF VEHICLES AND AMOUNT OF EMISSIONS









CONTROL LIGHT MECHANISM

PROCESSOR

PROCESSOR

I72

I78

LIGHTS

RECEIVER

RECEIVER







Fig. -8A

VIDEO/AUDIO SURVEILLANCE AND ALARM EQUIPMENT










Fig.-10A

PROCESSOR (IF DESIRED)

TRANSMITTER

POWER SOURCE

Fig. - 10B






Fig.-IIA








Fig.-13

COMMUNICATIONS




Fig.-14A




Fig.-14B




Fig.-15A




Fig.-15B





Fig.-16A



<u>Fig.-16B</u>




Fig. -17A
ANTISKID SYSTEM





Fig.-17B

Fig. -18 (PRIOR ART) INTERACTIVE VOICE RESPONSE

INCREASING STORAGE REQUIREMENTS




64,000 BITS/S 600-16,000 BITS/S

200 BITS/S

60 BITS/S

WORD CONCATENATION SYSTEMS PARAMĒTRIZED VOICE RESPONSE SYSTEMS PHONEMIC SYNTHESIZERS


TEXT-TO-SPEECH SYNTHESIZERS




INCREASING COMPLEXITY OF SYNTHESIS EQUIPMENT

SPECTRUM OF ALTERNATIVE TYPES OF VOICE RESPONSE SYSTEMS.


Fig. -19A (PRIOR ART) INTERACTIVE VOICE RESPONSE



VOICE RESPONSE SYSTEM WHICH IS BASED UPON CONCATENATION OF WORDS SPOKEN BY A HUMAN.



WAVEFORMS OF WORDS OR PHRASES FROM THE DICTIONARY ARE CONNECTED END TO END TO ACHIEVE CONNECTED VOICE OUTPUT FROM A WORD CONCATENATION SYSTEM.



(a) Ξ \mathbf{Z} (a) (e) (s)(O (a)(G) (w Fig. -20B (PRIOR ART) PROGRAM FOR CONCATENATING PARAMETRIZED WORDS (INCLUDES BOUNDARY SMOOTHING) FOR GENERATION WORD SEQUENCE REQUESTED PITCH CONTOUR CONTROL TIMING

Fig. -20C (PRIOR ART)





Fig.-21A (PRIOR ART)

INTERACTIVE VOICE RESPONSE



TEXT TO SPEECH SYSTEM FOR GENERATING COMPLEX SENTENCES WITH LARGE VOCABULARIES

Fig.-21B (PRIOR ART)






Fig. -22





<u>Fig.-23</u>

EMERGENCY FLASHING LIGHTS





<u>Fig.-24</u>






INTELLIGENT VEHICLE — SAFETY READINESS





INTELLIGENT VEHICLE







Fig. 28







Fig. 30



This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.